

An aerial photograph of a coastal town built on a peninsula. The town features a mix of modern and traditional architecture, surrounded by lush greenery. In the foreground, a large white yacht is visible in the clear blue water. The background shows rugged, rocky hills under a clear sky. The text '28 METRE YACHT' is overlaid in a white serif font, with a thin white line separating the number '28' from the words 'METRE YACHT'.

28  
METRE YACHT



## PRINCIPAL CHARACTERISTICS

### Classification

RINA Pleasure

### Length overall

28.15m, 92'4"

### Beam

6.50m, 21'4"

### Draft

2.05m, 6'9"

### Displacement

76,100kg, 167,771lb

### Fuel capacity

9,000 litres, 2,378 US gal.

### Fresh water capacity

1,500 litres, 396 US gal.

### Black water capacity

435 litres, 115 US gal.

### Grey water capacity

102 litres, 27 US gal.

### Accommodation

Up to 8 guests & up to 4 crew members

### Engine options

Up to 3,900PS

### Performance

Up to 29 knots

### Range @ 10 knots

Up to 1,200 nautical miles

### Drives

Shafts

## STANDARD SPECIFICATIONS

### 1 Construction

Hand-laid GRP

Gel coat including stripes

Vinylester skin coat with powderbound mat

Stitched multi-axial reinforced single-skin bottom

Balsa-cored hull topsides

PVC foam-cored deck and superstructure

Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

### 2 Flybridge

Self-draining cockpit

Acrylic deflecting spray screen

Seating areas

Storage lockers under seating

Teak dining tables (natural finish) with stainless steel pedestal

Upholstered sunbathing area forward

Stainless steel aft safety rails

Glass holders

Wetbar unit

Sink in wetbar unit

Icemaker in wetbar unit

Fridge in wetbar unit

Ceramic electric griddle in wetbar unit

Fire extinguisher in wetbar locker

Deckwash outlet

Low-level flybridge LED lighting (24v)

Radar arch structure

Radar chair with navigation light assembly

Overhead LED lighting on underside of radar arch (24v)

Two pairs marine speakers (connected to dedicated

CD/radio in saloon)

Teak decking

Ensign staff and socket

### 3 Flybridge Helm

Two helm seats

Hydraulic steering

Duplicate engine controls

Analogue engine instrumentation

Autopilot repeater

Radar/chart plotter with GPS repeater

Depth and speed multi display

VHF second station

Remote spotlight control

Magnetic compass

Steering indicator

Trim tab control

Horn control

Remote for CD/radio

Waterproof plug and socket 12v

### 4 Deck

Teak decking

Fittings all in 316 stainless steel and chromed bronze

Pair stainless steel bow mooring bollards and fairleads

Stainless steel spring cleats

Pair stern mooring bollards and fairleads

Stainless steel pulpit and cockpit rails

Stainless steel bow roller with anchor stop and devil's claw

Single electric windlass 24v, starboard side, foredeck control only

Anchor 100kg claw-type (galvanised)

Anchor chain 138 metres/328 feet

(12mm diameter, galvanised)

Stainless steel bow plate

Deckwash with outlets forward and aft

Chain locker

Curved direct glazed safety glass windscreen

Pantograph windscreen wipers and washers

Fresh-water filler

Fuel fillers port and starboard

IMCO navigation lights

Remote controlled spotlight at bow

Low-level courtesy LED lights on side decks (24v)

U-shaped bow seat

Twin bow sunbathing pads with storage underneath

Bow teak table (natural finish) with

adjustable pedestal

Glass holders

### 5 Aft Cockpit

Teak decking

Self-draining

Stairs to flybridge with composite decking treads

Aft fixed U-shaped bench seating

Teak table (natural finish) with folding leaves on stainless

steel pedestal

Stern safety gates

Engine room access hatch

2 x stern capstan winches 24v and fairleads

Overhead cockpit LED lights (24v)

Low-level courtesy LED lights (24v)

Pair of marine speakers (connected to dedicated

CD/radio in saloon)

Remote for CD/radio

Wetbar unit

Sink in wetbar unit

Icemaker in wetbar unit

Fire extinguisher in wetbar locker

Coolbox in wetbar unit

Rubbish bin in wetbar unit

### 6 Bathing Platform

Teak decked hydraulic lifting bathing platform (maximum lifting capacity 650kg/1433lb, maximum tender weight

550kg/1212lb)

Stairs to aft cockpit with teak decking treads

Stern spring cleats for stern-to mooring purposes

Foldout stainless steel swimming ladder

Hot and cold hand-held swimming shower

Fresh-water marina connection

Television and telephone marina connection

Large transom storage lockers

Access to crew quarters

Dockside AC connection

5m hydraulic telescopic passerelle

### 7 Covers

Windscreen sun screen

Flybridge instrument cover

Aft cockpit camper cover with windows

### 8 Saloon and Dining

Stainless steel framed sliding patio door to aft cockpit

Patio door curtains with tie back

Sofa seating

Coffee table

Scatter cushions

Flatscreen television (40") on rise and fall

DVD/CD/radio surround sound system with five speakers and sub-woofer

Air conditioning

Side windows with blinds

Drinks cabinet with glassware stowage for eight

(8 x Champagne, 8 x whisky, 1 x decanter)

LED overhead lighting (24v)

Double AC sockets

Sensor connected to fire detection system

Telephone point (aft starboard side)

1 x table lamp

Dining table

8 x freestanding dining chairs

Storage cupboards

Fitted carpet

Access forward to main helm position

Access to galley

Stairs leading to master stateroom and two guest cabins

### 9 Galley

American style fridge/freezer with ice maker

4-ring ceramic hob AC

Hob extractor AC

Slimline dishwasher AC

Stainless steel sink

Hot and cold water

Rubbish bin

Crockery set (8 place settings)

Cutlery set (8 place settings)

Side window with blind

Storage consisting of cupboards, drawers and top-box lockers

LED overhead lighting (24v)

LED lighting under top box lockers (24v)

Double AC sockets

Sensor connected to fire detection system

Air conditioning

Fire blanket

Fire extinguisher

First aid kit

Manual side opening door to port side deck

Access to saloon area

Microwave/oven AC

## STANDARD SPECIFICATIONS... CONTINUED

### **10 Main Helm Console and Observation Area**

2 x upholstered helm seats with electric operation  
Console with carbon fibre effect fascia  
Hydraulic power steering  
Steering wheel  
Radar/chart plotter with GPS  
Autopilot  
Depth and speed displays  
VHF radio first station  
Magnetic compass  
Horn control  
Switch panels  
Remote spotlight control  
Trim tab controls  
Rudder indicator  
Digital engine instrumentation  
Fresh water gauge  
Fuel gauge  
Cigar lighter  
Main control and monitoring panel (AC/DC) with generators control  
Monitoring panel for fire detection system  
Windscreen wiper and washer controls  
Glass holder  
Screen demister  
Fire extinguisher  
Manual side opening door to starboard side deck  
Sofa seat with table on port side  
Air conditioning  
LED overhead lighting (24v)  
Fitted carpet  
Double AC sockets  
Staircase forward leading to optional day head and forward VIP stateroom  
Chart stowage area

### **11 Day Head (optional)**

Toilet 24v  
Granite floor  
Washbasin  
Tap & accessories (toilet roll holder, soap dispenser, towel ring)  
Mirror  
Extractor fan  
LED overhead lighting (24v)  
Side window with blind

### **12 Forward VIP Stateroom**

Stairs leading from main helm area  
Double berth  
Foam mattress for berth  
Storage beneath berth  
Drawers in berth end  
Bedside lights 24v  
Dressing table  
Stool for dressing table  
Air conditioning

Flatscreen television (40") on bulkhead  
Blu-ray/CD/radio surround system with two speakers and sub-woofer  
LED overhead lighting (24v)  
Organic panoramic window sets with round opening portlights (with mosquito screens)  
Double AC socket  
Fitted carpet  
Sensor connected to fire detection system  
Doors to en suite and walk-in wardrobe

### **13 Forward VIP Walk-in Wardrobe**

Hanging rails  
Shelves  
LED overhead lighting (24v)  
AC socket  
Fitted carpet  
Door to stateroom

### **14 Forward VIP En Suite**

Toilet 24v  
Granite flooring  
Large washbasin  
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)  
Separate shower compartment  
Glass shower door  
Air conditioning outlet  
Extractor fan  
Shelved cupboard  
LED overhead lighting (24v)  
Opening porthole with mosquito screen and Venetian blind  
Shaver socket 240/110v  
Door to stateroom

### **15 Lower Deck Lobby**

Stairs leading down from main deck saloon area  
LED overhead lighting 24v  
AC socket  
Fitted carpet  
Sensor connected to fire detection system  
Doors leading to lower deck guest accommodation (excluding forward VIP stateroom)

### **16 Midships Master Stateroom**

Double berth  
Foam mattress for berth  
Drawers in berth end and sides  
Bedside units with storage  
Bedside lights 24v  
Dressing table  
Stool for dressing table  
Sofa  
Air conditioning  
LED overhead lighting (24v)  
Organic panoramic window sets with round opening portlights (with mosquito screens)

Double AC sockets  
Flatscreen television (40") on bulkhead  
Blu-ray/CD/radio surround system with two speakers and sub-woofer  
Sensor connected to fire detection system  
Fitted carpet  
Doors to en suite and walk-in wardrobe

### **17 Midships Master Walk-in Wardrobe**

Hanging rails  
Drawers  
Shelves  
LED overhead lighting (24v)  
AC socket  
Escape hatch to the forward lobby  
Fitted carpet  
Door to stateroom

### **18 Midships Master En Suite**

Toilet 24v  
Bidet  
Granite flooring  
Large washbasin  
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)  
Separate shower compartment  
Glass shower door  
Extractor fan  
Air conditioning outlet  
Mirror  
LED overhead lighting (24v)  
Opening porthole with mosquito screen and Venetian blind  
Shaver socket 240/110v  
Door to stateroom

### **19 Aft Starboard Twin Guest Cabin**

Twin berths  
Foam mattresses for berths  
Under berth stowage  
2 x reading lights 24v  
Wardrobe  
Air conditioning  
LED overhead lighting (24v)  
Organic panoramic window sets with round opening portlights (with mosquito screens)  
Double AC socket  
Sensor connected to fire detection system  
Flatscreen television (32")  
Blu-ray/CD/radio surround system with two speakers and sub-woofer  
Fitted carpet  
Doors to en suite and lobby

### **20 Aft Starboard En Suite**

Toilet 24v  
Granite flooring  
Washbasin  
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)  
Separate shower compartment  
Glass shower door  
Extractor fan  
Air conditioning outlet  
Vanity unit  
LED overhead lighting (24v)  
Opening porthole with mosquito screen  
Shaver socket 240/110v  
Door to guest cabin

### **21 Aft Port Twin Guest Cabin**

Two single berths  
Foam mattresses for berths  
Under-berth stowage  
2 x reading lights 24v  
Wardrobe  
Air conditioning  
LED overhead lighting (24v)  
Organic panoramic window sets with round opening portlights (with mosquito screens)  
Double AC socket  
Sensor connected to fire detection system  
Flatscreen television (32")  
Blu-ray/CD/radio surround system with two speakers and sub-woofer  
Fitted carpet  
Doors to en suite and lobby

### **22 Aft Port Twin En Suite**

Toilet 24v  
Granite flooring  
Washbasin  
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)  
Separate shower compartment  
Glass shower door  
Extractor fan  
Air conditioning outlet  
Vanity unit  
LED overhead lighting (24v)  
Opening porthole with mosquito screen  
Shaver socket 240/110v  
Door to guest cabin

## STANDARD SPECIFICATIONS... CONTINUED

### 23 Aft Crew Mess

Access door from stern  
Sink with tap  
Worktop with undercounter storage  
Air conditioning  
Small microwave  
Undercounter fridge  
AC sockets  
Washer/dryer AC  
Telephone point  
Sensor connected to fire detection system  
LED overhead lighting (24v)  
Seating area  
Table  
Flatscreen television (19")  
DVD/CD/radio with two speakers  
Non-slip safety flooring  
Doors to crew cabins and crew toilet/shower  
Watertight door to engine room

### 24 Port Crew Cabin

Twin fixed Pullman bunk berths  
Foam mattresses for berths  
Reading lights 24v  
Air conditioning  
Wardrobe  
LED overhead lighting (24v)  
Double AC socket  
Sensor connected to fire detection system  
CD/radio with two speakers  
Fitted carpet  
Opening porthole with mosquito screen and curtains  
Door to crew mess

### 25 Starboard Crew Cabin

Twin fixed Pullman bunk berths  
Foam mattresses for berths  
Reading lights 24v  
Air conditioning  
Wardrobe  
LED overhead lighting (24v)  
Double AC socket  
Sensor connected to fire detection system  
CD/radio with two speakers  
Fitted carpet  
Opening porthole with mosquito screen and curtains  
Door to crew mess

### 26 Crew Toilet & Shower

Toilet 24v  
Washbasin  
Shower cubicle  
Mirror  
Vanity unit  
LED overhead lighting (24v)  
Shaver socket 240/110v  
Door to crew mess

### 27 Engine Compartment and Ancillaries

Soundproofing throughout  
Fuel filters/water separators to engines  
Fuel filters/water separators to generators  
Manual/automatic fire extinguishing system combined with engines, generators and fans shutdown  
Automatic bilge and flood pumps with high-level alarms  
Air extraction fans AC  
Generator exhaust silencers and water separators  
Engine exhaust dry risers and water injection  
Strainers to all raw water inlets  
Sensor connected to fire detection system

### 28 Electrical System

2 x 25kW @ 50Hz slowspeed generators with underwater silent exhaust and sound box  
Dockside AC connection  
Isolation transformer  
Semi-automatic AC power distribution  
24v DC electrical system with full circuit-breaker protection  
8 x starter batteries 24v circuit  
12 x domestic batteries 24v circuit  
Independent battery back-up for VHF radio  
Automatic battery charge distribution  
Remote battery switches controlled from aft cockpit locker  
1 x 120 amp battery charger/inverter for 24v circuits  
1 x 200 amp battery charger/inverter for 24v circuits  
3 x 2kW immersion heaters for calorifier  
AC sockets throughout the boat  
24v hand light and cable  
Class approved fire detection system with sensors in all cabins and monitoring beside main helm position

### 29 Underwater Gear

NAB 5 blade propellers  
Bronze (AB2) P-brackets  
90mm Temet 25 propeller shafts

Self-aligning shaft seal with spare seal  
High-performance bronze rudders  
Valves to all underwater skin fittings  
Full cathodic bonding system to zinc anodes  
Stainless steel trim tabs  
Hydraulic bow thruster  
(30hp, sequential operation)  
Antifouling

### 30 Systems

Hydraulic power steering  
Electric toilet system with integral macerator (24v) with two-switch control  
Toilets discharging overboard or to black water tank  
Black water tank discharging to dockside or overboard  
Aluminium fresh water tank with electric sending unit  
Integral GRP fuel tank with electric sending unit  
Water pressure system (24v)  
Hot water tank, 200 litre (with 2 x 2kW immersion heaters)  
Hot water circulating pump AC  
Washbasins, showers and air conditioning fan coils to drain to grey water tank  
Grey water tank discharging overboard  
Chilled water air conditioning system (reverse cycle) AC  
Bilge pumping system (24v)  
Manual/automatic fire extinguishing system combined with engines, generators and fans shutdown  
Auxiliary hydraulics for trim tabs and platform (24v)

### 31 Miscellaneous

Retractable boat hook  
6 x docking lines (6 x 15 metre, 20mm diameter, black)  
1 x tender line (1 x 10 metre, 10mm diameter, black)  
8 x fenders (F7, 15" x 41", white)  
8 x fender ties (8 x 3.5 metre, 10mm diameter, black)  
Flagstaff with line  
Pennant mast with pennant flag  
Mosquito screens for openable portlights  
Small toolkit  
12 x towel sets  
First aid kit  
Fire blanket  
Leather cleaning kit  
Lead lamp  
Deckwash fitting and hose reel  
Portable fire extinguishers

#### Disclaimer

Whilst every attempt has been made to provide accurate information, the information in this brochure is not intended to be and should not be relied upon as providing any warranty, representation, guarantee, or offer. Performance and range figures are estimates to be used as an indicative guide only. Dirt or marine growth on the hull, size of boat, engine choice and tuning, propeller condition and pitch, air and water temperature, fuel weight and quality, water weight, stores, number of people on board and other factors can each affect a boat's performance and range. The photographs and artist's impressions in this brochure are from existing models in the Sunseeker range. There may be items shown in these photographs and impressions that are not included in the standard inventory of the models shown. Specifications, measurements and certain other details contained in this brochure may relate to models only for sale in a particular territory. We cannot guarantee that the entire Sunseeker range will be available in every territory. Specifications for models sold in different territories may also vary. Specifications may be changed or models withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the order process and confirmed in the sales contract between the purchaser and the approved Sunseeker distributor or dealer for the relevant territory. Please contact the local Sunseeker distributor or dealer in the territory which is of interest to you, to enquire as to the models and options that are likely to be available in that territory. This brochure is created and published in the United Kingdom and made available to authorised distributors and dealers of new Sunseeker manufactured motoryachts outside of the United States of America and Canada. In the United States of America and Canada, Sunseeker USA Sales Co, Inc. is the issuer of this brochure and is responsible for its content. All distributors or dealers of new Sunseeker manufactured motoryachts are independently owned and controlled businesses. They are not subsidiaries of, nor agents for Sunseeker International Limited, Sunseeker USA Sales Co, Inc. or any of their respective parent, subsidiary or affiliated companies ("Sunseeker Group"). As such, no distributor or dealer has any authority to bind or obligate any Sunseeker Group company in any way.